

10/ 647 694

Cgc
2040 Main Street
Fourteenth Floor
Irvine, CA 92614
Tel 949-760-0404
Fax 949-760-9502
www.kmob.com

August 30, 2005

**Certificate
SEP 07 2005
of Correction**

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Re: Title: VIBRATION-ISOLATING BUSHING
Letters Patent No. 6,899,323 B2
Issued: May 31, 2005
Our Reference: TSUT9.001C1


Dear Sir:

Enclosed for filing is a Certificate of Correction in connection with the above-identified patent.

As the error cited in the Certificate of Correction was incurred through the fault of the Patent Office, no fee is believed to be required. However, please charge our Deposit Account No. 11-1410 for any fees that may be incurred with this request.

Respectfully submitted,

Knobbe, Martens, Olson & Bear, LLP


Katsuhiro Arai
Registration No. 43,315
Customer No. 20,995

Enclosures

1891255_1
083005

SEP - 8 2005

San Diego
619-235-8550San Francisco
415-954-4114Los Angeles
310-551-3450Riverside
951-781-9231San Luis Obispo
805-547-5580

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,899,323 B2

DATED : May 31, 2005

INVENTOR(S): Seiya TAKESHITA, et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 7/line 8, in Claim 4, delete "60°-20°" and insert --60°-120°--.

MAILING ADDRESS OF SENDER:

Katsuhiro Arai
KNOBBE, MARTENS, OLSON & BEAR, LLP
2040 Main Street, 14th Floor
Irvine, California 92614

PATENT NO. 6,899,323 B2

August 25, 2005

TSUT9.001C1
FORM PTO 1050

No. of add'l. copies
@ 50¢ per page

⇒ 0

SEP - 8 2005